

**WANTAGE TOWNSHIP BOARD OF HEALTH**

**MINUTES OF MEETING**

**SEPTEMBER 8, 2010**

The Wantage Township Board of Health held its regular monthly meeting Wednesday, September 8, 2010 at the Wantage Township Municipal Building, 888 State Route 23 South, Wantage, New Jersey at 7:30 p.m.

Members present: Mrs. Deborah Granata, Mr. Ezra Holley and Dr. Arthur Braunwell. Also present was Mr. Michael Plaza, Sussex County Chief REHS, Mrs. Jeanne McBride, Secretary. Absent: None.

Dr. Braunwell made the following statement. "This meeting is being held in compliance with the provisions of the Open Public Meetings Act, Public Laws of 1975 Chapter 231. It has been properly advertised and certified".

**MINUTES**

On motion by Mr. Holley, seconded by Mrs. Granata, the minutes of the meeting of June 9, 2010 were approved as presented and ordered filed. Ayes: Granata, Holly, Braunwell. Nays: None.

**READING OF REPORTS**

County Health Department	June, July, August 2010
Sanitarian Michael Plaza	June, July, August 2010
Registrar	June, July, August 2010
Secretary	June, July, August 2010

**Mr. Plaza read his reports.**

A Notice of Violation was issued to 69 Unionville Road for an overflowing septic system.

A Notice of Violation was issued to 106 Lower Unionville Road for debris.

The pool at the Sussex Motel swimming pool failed a routine water sample. The pool was closed until a satisfactory sample was received.

The hot tub at Pleasant Acres campground was drained after failing a routine water sample. The hot tub was reopened after receiving a satisfactory water sample.

A cat was euthanized after scratching a resident and behaving oddly. The cat tested negative for rabies.

The DEP contacted Franklin Sussex Auto Mall and told them to remove the fill that was placed in the back of the auto dealership which is used for additional parking. The fill was placed on wetlands. They must restore the area to its original state.

Residents at 16 Lewisburg Road received a sixty day extension to clean up rotting garbage. The original deadline was August 8<sup>th</sup>.  
The Library, Recreation Fields and Beemerville Fire Department's water samples were all satisfactory.

Food inspections that received a satisfactory rating:

Sussex Meat Packing

New Taste Restaurant – re-inspection

Food Court at the Town Center

Laser One

Rogers Hot Dogs

American Legion

Luk-Oil

Bella Vita Restaurant

There was a complaint of solid waste at the Wantage Citgo, after inspection, it was noted the lid was not being secured properly and animals were getting in.

A new septic was installed at 116 North Shore Dr., the septic met the fifty feet setback required for the lake. If it did not, an alternative system would have to be installed.

Dunkin Donuts and Subway both changed ownership.

A Certificate of Compliance was issued to 115 Mudtown Road.

A Certificate of Compliance was issued to 54 Lott Road. The septic was installed in 2006 but had never had a final inspection.

Upon inspection the Double S Diner's refrigerator temperature was 70 degrees. All of the contents were discarded.

#### DISCUSSION OF REPORTS

None.

#### CORRESPONDENCE

SUSSEX COUNTY DEPARTMENT OF HEALTH AND HUMAN SERVICES:

NJLINC:

e-mail

Public Health Info: Widget for "Responding to Public Health Emergencies: New Jersey's Strategy"

Public Health Info: NJDHSS Announces the availability of the "Are you ready? Emergency preparedness for retail food establishments" Poster.

Public Health Alert: Media Talking Points—Excessive heat.

Public Health Info: H1N1 after action report – executive summary.

Public Health Update: New Jersey Animal Rabies cases by county and species, January 1 – June 30, 2010

Public Health Update: Arboviral disease surveillance for week ending 7/23/10

Public Health Info: Central 2009 H1N1 influenza vaccine recovery program.

Public Health Info: Health Advisory regarding increased potential for Dengue Infection.

Public Health Advisory: Measles Exposure – New Jersey

Public Health Advisory: Frozen reptile feed recalled by Mice direct because of possible health risk from salmonella.

Public Health Update: Arboviral disease surveillance for week ending 7/30/10

Public Health Update: Revision to H1N1 AAR executive summary.  
Public Health Info: Sanofi Pasteur Influenza A (H1N1) 2009 Monovalent vaccine in multi-dose vials – shortened shelf life.  
Public Health Advisory: Infection control and diabetes care in healthcare and group settings.  
Public Health Advisory: Measles exposure – PA resident.  
Public Health Info: Antibiotic resistance CME activity.  
Public Health Info: The Northeastern Basic course for Principles of Infection Prevention and Control.  
Public Health Advisory: Exposure to confirmed measles case.  
Public Health Update: Important reminders regarding Rabies Post-Exposure Prophylaxis, September 2010.

### NEW BUISNESS

The Board discussed the candidates for the two open positions available.

### OLD BUSINESS

### OPEN PUBLIC SESSION

Beth Sylvester a student studying for her BSN, attended the meeting as a requirement for her degree. General discussion took place regarding Board of Health responsibilities and the requirements of a member.

Respectfully submitted,  
Jeanne M. McBride  
Secretary, Board of Health